

ENTE HC60

The versatile solution for a wide range of situations. Fully customizable to your wishes.



DESCRIPTION

The HC60 is similar to the HC70, but even more versatile in application and has a larger capacity. This rectangular model has a maximum capacity of 6 cassettes, or 150 liters of filter media.

The inlet can be fully positioned as desired because of the unique designed high extension.

The outlet is standard processed in the roof, but some situations require a gas-tight outlet. Like in the direction of a chimney for instance. The HC60 is also extremely suitable for this.

Due to its shape, this filter can be attached to the wall in addition to a bottom mounting.

Moreover, this model gives room for additional options such as a UV-C unit or (internal) fan and/or can be transformed into a bulk filter (instead of cassettes).

Depending on your situation - the type and degree of pollution and flow rate - Entec advises how much cassettes you need and what type of medium should be used for the best result in your specific situation.

Advised for use with:


- **Sewage pumping stations.**
- **Stormwater tanks.**
- **Egalisation tanks.**
- **Pumping stations.**

The filter is standard equipped with a high-end coating in your desired RAL colour, without additional costs. Special coatings are available on request as well.

NANO-coating: Effective against graffiti
AS-coating: Effective against posters


Up to 150 liter filter media with 6 cassettes, or 500 liter as a bulk filter!

The versatile solution!



SPECIFICATIONS

- Material: Stainless Steel (SST)
- Footprint: 700*840 mm
- Height: 1200 mm
Including height extension 200 mm, makes every type and size of connection possible.
- Including corrosion resistant lock
- Max. capacity: 6 cassettes / 500 liter as a bulk filter
- Coating: RAL Colour
Special coatings possible!



COATING OPTIONS

All our filters are standard equipped with a high-end (epoxy powder) coating in the desired RAL colour, without additional costs. In addition to the better appearance, this surface coating on the outside is less sensitive to green atmospheric deposits.

Because these filters are often used in publicly accessible environments, it is sometimes desirable to apply a vandal-resistant coating.

- NANO-coating:** Effective against graffiti
AS-coating: Effective against posters

APPLICATION EXAMPLES

In order to give you an even better idea of the endless possibilities and the scope of the application, here are some examples where the ENTEC HC60 has been implemented. Besides filters, Entec is the manufacturer of the filter media itself as well.

